



ABOUT US

We are the pioneers and custodians of know-how. Since 1965 our hoods have infused the most beautiful kitchens with grace, charm, emotion... A soul. Silently. With elegance. Because your desires inspire us. This is our philosophy. We are Roblin, the Airbender.

The kitchen is more than ever a central room, conducive to sharing and moments of pleasure and conviviality. It is therefore essential to create a universe in which it is good to live and which resembles us. Because it is at the centre of the kitchen, visible, remarkable and noticed, where ROBLIN extractors express the technical and aesthetic know-how of the brand.

Our ambition is to make the hood the keystone of the kitchen.

The Roblin brand stands out for the attention it pays to the smallest details in the design and manufacturing of its products.

Faithful to the spirit of its creator Pierre Roblin, Meilleur Ouvrier de France, ROBLIN puts quality at the heart of its production, whether it is the quality of materials, components, technologies or manufacturing processes, so that your hood accompanies you for as long as possible.



Symphonie 770 | 77cm Integrated Cooker Hood S/Steel



Features:

Integrated Cooker Hood

Stainless Steel

Nominal Extraction Rate: 660m³/hr

Extraction Pressure: 580Pa

Dishwasher Safe Metallic Grease Filters

Filters

1 Aluminium Grease Filters

Lighting: 2 x 1W Globes

Back-Lit Electronic Control Panel

3 Speed Settings: Variable Control

Outlet: 150mm

3 Year Warranty on Electrical Components

Dimensions:

Width: 770mm

Depth: 290mm

Height: 345mm

Optional Extras:

- Carbon Filters [5403008]
RRP: R925,00
- Flexible Ducting

Product Code:

- **Symphonie 770:**
77cm Integrated Cooker Hood
Stainless Steel

Performance:

	MIN	AVG	MAX	INT
Extraction Rate (m³/hr)	270	400	560	660
Pressure (PA)	430	520	560	580
Watts (W)	150	200	240	250
Noise Level (DB(A))	45	55	60	64

Placement:



With a depth of 29cm and a cutout of 27cm, it will fit into the slimmest cabinets.

Peripheral Suction:



The solid control panel over the grease filters allows for better suction of smoke and odours.

Separate Motor:




By installing the motor separately or outside, you can enjoy a silent kitchen and noise free area.

Available in S/Steel:



Technical Drawing:



Price:
RRP. R18 995,00



FUNCTION
BOOSTER



SEPARATE
MOTOR



PERIPHERAL
SUCTION



SOUND PRO



ENERGY RATING

Melodie 900 SS | 90cm Integrated Cooker Hood S/Steel



Features:

Integrated Cooker Hood
Stainless Steel
Nominal Extraction Rate: 710m³/hr
Extraction Pressure: 560Pa
Dishwasher Safe Metallic Grease Filters
Lighting: 2 x 1W Globes
Electronic Control Panel
3 Speed Settings: Variable Control
Outlet: 150mm
Retractable Glass Fringe: 0° - 140°
3 Year Warranty on Electrical Components

Dimensions:

Width: 898mm
Depth: 332mm
Height: 344mm

Cut-Out Dimensions:

Width: 870mm
Depth: 336mm

Product Code:

- **Melodie 900 SS:**
90cm Integrated Cooker Hood
Stainless Steel

Optional Extras:

- Carbon Filters [5403008]
RRP: R925,00
- Flexible Ducting

Performance:


	MIN	AVG	MAX	INT
Extraction Rate (m³/hr)	280	410	590	710
Pressure (PA)	450	510	550	560
Watts (W)	150	200	240	250
Noise Level (DB(A))	46	54	62	65

Easy Installation:





This unit fits into the cabinet.
Simply remove the grease filters
of the unit to attach the hood.

Available in S/Steel:



Technical Drawing:



Price:
RRP. R26 995,00



FUNCTION
BOOSTER



SOUND PRO



ENERGY RATING

Comete | Integrated Cooker Hood Stainless Steel



Features:

Ceiling Mount Cooker Hood

Stainless Steel

Nominal Extraction Rate: 750m³/hr

Extraction Pressure: 552Pa

Dishwasher Safe Metallic Grease

Filters

Lighting: 4 x 5W Globes

Remote Control Included

Outlet: 150mm

8 Speed Settings: Variable Control

Comete 1000: 2x Grease Filters Incl.

Comete 1200: 3x Grease Filters Incl.

Adjustable Outlet: 0°-90° - 180°-270°

3 Year Warranty on Electrical

Components

Recommended Installation Height

From Counter Top: 1550mm

High Performance Carbon Filters:



Efficient and economical filters that are dishwasher safe and self-regenerating. Lifespan of 3 years.

Product Code:

• Comete 1000 XS:

1m Integrated Cooker Hood
Stainless Steel

• Comete 1200 XS:

1.2m Integrated Cooker Hood
Stainless Steel

Performance:

	MIN	AVG	MAX	INT
Extraction Rate (m³/hr)	219	441	606	750
Pressure (PA)	140	450	535	552
Watts (W)	75	120	217	270
Noise Level (DB(A))	43	52	59	64

Optional Extras:

- Carbon Filters For Recirculation
 - 2x For Comete 1000 [6403026]
 - 3x For Comete 1200 [6403026]
 - RRP: R1495,00 per filter
- Flexible Ducting

Saturation Indication Light:




An indicator lights up when the grease filters should be cleaned / carbon filters should be changed.

Peripheral Suction:




The solid control panel over the grease filters allows for better suction of smoke and odours.

Available in S/Steel:



Technical Drawing:



Dimensions:

	Width	Depth	Height
Comete 1000:	990	440	292
Comete 1200:	1200	450	292

Cutout Dimensions:

	Width	Depth	Height
Comete 1000:	965	410	300
Comete 1200:	1165	410	300



Comete 1000 XS:
RRP. R34 995,00

Comete 1200 XS:
RRP. R37 995,00

