



# CATALOGUE

GODIN FIREPLACES CATALOGUE 2026



SINCE 1840 A FLAME STILL BURNS.

# ABOUT US

Godin's commitment to heating is unquestionable.

Since its creation in 1840, Godin has always focused on quality, technology and know-how. The brand has remained faithful to its objectives of reliability and technological innovations. This is why the Godin brand today has the strongest market recognition in the wood heating sector in France.

If Godin's reputation and expertise are unanimously recognised, it is thanks to the quality and performance of its products.

Designed and developed by the Godin design office, each wood stove, fireplace & cooking stove is subject to permanent testing at an integrated laboratory. This allows for in-depth research into effectiveness, efficiency and performance. After internal validation, all Godin heating and cooking appliances are certified by an independent organisation.

These high-performance stoves & fireplaces are a model in terms of ecology: efficiency greater than 75% limiting CO2 and dust emissions.



SINCE 1840 A FLAME STILL BURNS.

# LABELS, REGULATIONS, AND REQUIREMENTS

*We are members of the renewable energy trade association.*



## ECODESIGN 2022



The Ecodesign 2022 standard provides consumers with new information on appliance performance.

Heating equipment has improved energy efficiency and is more fuel-efficient.

## AIRTIGHT STOVES



Thermal regulations aim to limit the energy consumption of new buildings. In the heating sector, compatible appliances are called airtight.

They can be identified by this logo throughout the catalog.

## LABEL FLAMME VERTE



Our appliances are certified with the Flamme Verte label.

This label distinguishes the most efficient appliances for their performance and environmental friendliness. The Flamme Verte label classifies appliances according to several criteria, primarily:

- Efficiency
- CO emissions
- Dust emissions

## MADE IN FRANCE



Products bearing the Made in France pictogram can be identified by this element throughout the catalogue.



# HURIEL STOVES

5 MODELS  
2 SIZE OPTIONS  
80 OR 100  
10KW NOMINAL



Dimensions 80  
Réf. 660350 - R106 655  
H 63 x L 83 x P 51 cm

Dimensions 100  
Réf. 660351 - R119 995  
H 63 x L 103 x P 51 cm



Dimensions 80  
Réf.411201 - R122 895  
H 64 x L 80 x P 53 cm

Dimensions 100  
Réf.411206 - R136 995  
H 64 x L 100 x P 53 cm



Dimensions 80  
Réf.411202 - R140 295  
H 102 x L 80 x P 52 cm

Dimensions 100  
Réf.411207 - R153 695  
H 102 x L 100 x P 52cm



Dimensions 80  
Réf.411200 - R137 500  
H 64 x L 80 x P 57 cm

Dimensions 100  
Réf.411205 - R151 495  
H 64 x L 100 x P 57 cm



Dimensions 80  
Réf.411203 - R141 900  
H 107 x L 80 x P 52 cm

Dimensions 100  
Réf.411208 - R157 895  
H 107 x L 100 x P 52 cm.



flamme  
VERTE

Le label  
du chauffage  
au bois



# HURIEL INSERTS



*2-dimensional screen-  
printed glass door*

## HURIEL 80

INSERT HURIEL 80

Réf. 660350

**R106 655**

10 kW

Energy Class : A

Efficiency : 76,80 %.

Dimensions : H 63 x L 83 x P 51 cm.

## HURIEL 100

INSERT HURIEL 100

Réf. 660351

**R119 995**

10 kW

Energy Class : A

Efficiency : 76,80 %.

Dimensions : H 63 x L 103 x P 51 cm.

### Common Characteristics

Fuel: Logs up to 50 cm  
Firebox: Cast iron interior  
Flue outlet: Ø 180 mm  
Flue outlet: Top  
Full glass door



*flamme*  
**VERTE**

Le label  
du chauffage  
au bois





- *Durable*
- *Design*
- *Performance*

# HURIEL SUSPENDED

## HURIEL 80 WALL MOUNT

Réf. 411200

10 kW Nominal

**R137 500**

## HURIEL 100 WALL MOUNT

Réf. 411205

10 kW Nominal

**R151 495**

ENERGY CLASS : A

Efficiency: 76,80 %.

Dimensions 80 : H 64 x L 80 x P 57 cm.

Dimensions 100 : H 64 x L 100 x P 57 cm.

Fuel: Logs up to 50 cm.

Firebox: Cast iron interior.

Clad in steel.

Color: Black.

Flue outlet: Ø 180 mm.

Smoke outlet: Top.



flamme  
VERTE

Le label  
du chauffage  
au bois



MODÈLE  
É TANCHE



# HURIEL ON PEDESTAL

HURIEL 80 ON PEDESTAL

Réf. 411202

**R140 295**

10 kW Nominal

HURIEL 100 ON PEDESTAL

Réf. 411207

**R153 695**

10 kW Nominal

Energy class: A

Efficiency : 76,80 %.

Dimensions 80 : H 102 x L 80 x P 52 cm.

Dimensions 100 : H 102 x L 100 x P 52 cm.

Fuel: logs up to 50 cm.

Firebox: Cast iron interior.

Steel casing

Color: Black.

Flue outlet: Ø 180 mm.

Smoke outlet: Top.



*flamme*  
**VERTE**

Le label  
du chauffage  
au bois



# Oval Stoves: 1 Glass Panel



COGGIA 1V  
ON PEDESTAL  
R123 695



COGGIA 1V  
SUSPENDED  
R118 795



COGGIA 1V  
ON LOG BOX  
R134 850

# Oval Stoves: 3 Glass Panels



COGGIA 2  
R152 375



LAMANERE  
R119 995



ROSNAY 2  
R162 500



ARNEL 2  
R169 995



Le label  
du chauffage  
au bois



# Oval Stoves: 1 Glass Panel



*Single sided*

## COGGIA 1V PEDESTAL



Réf. 388243 - **R123 695**  
9 kW Nominal  
Energy Class : A  
Efficiency : 78 %.  
Dimensions : H 94 x L 78 x P 46 cm.



*Suspended Fireplace*

## COGGIA 1V SUSPENDED



Réf. 388244 - **R118 795**  
9 kW Nominal  
Energy Class : A  
Efficiency : 78 %.  
Dimensions : H 62 x L 78 x P 46 cm.



*Enamelled sides*

## COGGIA 1V ON LOG BOX



Réf. 388245  
Black: **R134 850**  
Colour: **R144 395**  
9 kW Nominal  
Energy Class : A  
Efficiency : 78 %.  
Dimensions : H 92 x L 78 x P 46 cm.

### COMMON CHARACTERISTICS

Logs up to 45 cm  
Firebox: All cast iron  
Door: Cast iron  
Outer steel casing  
Color: Black  
Flue outlet diameter: 150/153 mm  
Flue outlet: Top and rear  
Distance from floor to center of rear flue outlet: 81 cm

Enamelled sides - Colour Options  
Anthracite  
Sahara  
Silver grey  
Boreal blue  
Atoll green  
Colours are enameled steel



*flamme*  
**VERTE**

Le label  
du chauffage  
au bois





- *Three-pane fireplace*
- *Glass top*

## Oval Stoves: 3 Glass Panels



# COGGIA2

OVAL  
UNIT

Réf. 388242 - **R152 375**

9 kW Nominal

Energy Class : A

Efficiency : 78 %.

Dimensions : H 94 x L 78 x P 46 cm.

# LAMANÈRE



Réf. 411237 - top outlet - **R119 995**

Réf. 411128 - rear outlet - **R119 995**

7,2kW Nominal

Energy Class: A

Efficiency : 76,70 %.

Dimensions : H 99 x L 54 x P 45 cm.

Fuel: logs up to 33 cm.

All cast iron heating elements

Casing: steel.

Colour: Black

Flue outlet: Ø 150/153 mm.

Top or rear outlet

Distance from the floor to the centre of the rear outlet: 102 cm.

Screen-printed glass door with spring-loaded closure for easy closing.



*flamme*  
**VERTE**

Le label  
du chauffage  
au bois



# ROSNAY 2



Ref. 411234 - **R162 500**

7.2 kW Nominal

Energy class: A

Efficiency: 76.70%

Dimensions: H 126 x W 54 x D 43 cm

Fuel: Logs up to 33 cm

All-cast-iron firebox

Casing: Steel

Color: Black

Flue outlet: Ø 150/153 mm.

Flue outlet: top and rear.

Distance from floor to centre of the rear flue outlet  
: 105 cm.

Screen-printed glass door with spring-loaded  
mechanism for easy closing.





3 Glass pane fireplace

## ARNEL 2

POÊLE  
OVALE

Réf. 411236 - **R169 995**

7,2 kW Nominal

Energy Class: A

Efficiency : 76,70 %.

Dimensions : H 150 x L 54 x P 41 cm.

Fuel: logs up to 33 cm.

All cast iron heating elements

Casing: steel.

Colour: Black

Flue outlet diameter: 150/153 mm.

Flue outlet: top and rear.

Distance from floor to centre of the rear flue outlet: 95 cm.

Screen-printed glass door with spring-loaded mechanism for easy closing.





## Traditional Stoves



ÉCO2  
R69 995



Constance 4  
R192 315

## Full Cast Iron Units



ELIOTTE 2  
R83 475



FONTEVAL  
R65 895



PETIT GODIN  
R105 595



MIRANDE 2  
R79 895



MAZAMET 2  
R86 995



ECLIPSE 2  
R74 895



EQUIRRE 2  
R82 995



TALISMAN 2  
R67 995



Enamelled Sides

## ECO 2

Réf. 363111 - Black **R69 995**

Ref. 363111 - Colour **R73 895**

8 kW Nominal

Energy class: A

Efficiency: 77.40%

Dimensions: H 68 x W 70 x D 44 cm

Clad: Enameled steel sides

Distance from floor to centre of the rear flue outlet: 50 cm

Front and side loading



Color Options:


Anthracite

Sahara

Silver Gray

Boreal Blue

Atoll Green



### Characteristics

Fuel: Logs up to 50 cm

Firebox: Cast iron interior

Flue outlet diameter: 150/153 mm

Flue outlet: Top and rear



flamme  
VERTE

Le label  
du chauffage  
au bois



# CONSTANCE 4

Ref. 630155 - **R192 315**  
10 kW

Ref. 630153 - with fans - **R205 995**  
10 kW

Energy class: A+  
Efficiency: 81.10%  
Dimensions: H 104 x W 105 x D 70 cm.  
Fuel: logs up to 50 cm.  
All-cast-iron firebox.

Cladding: ceramic.

Colors: White or Biscuit  
with monochrome pattern,  
as shown on the model.

Flue outlet: Ø 180 mm.

Flue outlet: top.



*Ceramic cladding*





All Cast Iron



## ÉLIOTT 2

Réf. 388152 - **R83 475**

8 kW Nominal

Energy Class : A

Efficiency: 77%.

Dimensions: H 75 x W 72 x D 41 cm.

Fuel: logs up to 50 cm.

All-cast-iron firebox.

Casing: Cast iron - matt black

Color: Black.

Flue outlet diameter: 150/153 mm.

Flue outlet: top and rear.

Distance from floor to centre of the rear flue outlet: 74 cm.



flamme  
VERTE

Le label  
du chauffage  
au bois



# FONTEVAL



Réf. 389154 - **R65 895**

9 kW Nominal

Energy class: A

Efficiency: 79.20%

Dimensions: H 75 x W 67 x D 44 cm

Fuel: logs up to 50 cm

Distance from the floor to the centre  
of the rear flue outlet: 61 cm

Full Cast Iron unit

Color: Matt Black

Flue outlet diameter: 150/153 mm

Flue outlet: Top and rear




*flamme*  
**VERTE**

Le label  
du chauffage  
au bois





Iconic Enameled  
Fireplace



# PETIT GODIN

Réf. 310107 - **R105 595**

7,5 kW Nominal

Energy class: A

Efficiency: 78%.

Dimensions : H 96 x L 52 x P 71 cm.

Fuel: Logs up to 50cm

All cast iron heating element.

Casing: enameled cast iron.

Colours: metallic grey, sahara, atoll green  
and peacock blue.

Flue outlet diameter: 125 mm.

Flue outlet: rear.

Distance from the floor to the centre of the rear  
flue outlet: 55 cm.



Metallic Grey



Sahara



Atoll Green



Peacock Blue



flamme  
VERTE

Le label  
du chauffage  
au bois



# MIRANDE 2

 All Cast Iron Fireplace

Réf. 355154 - R79 895

8,5 kW Nominal

Energy class: A

Efficiency : 76,60 %.

Dimensions : H 102 x L 50 x P 45 cm.

Distance from the floor to the centre of the rear  
flue outlet: 90 cm.

Fuel: Logs up to 33 cm

Firebox: Cast iron lined with vermiculite,

Colour: Matt Black

Flue outlet: Ø 150/153 mm

Flue outlet: Top and rear



flamme  
VERTE

Le label  
du chauffage  
au bois

DOUBLE  
COMBUSTION

# MAZAMET 2

Réf. 388155 - **R86 995**

8 kW Nominal

Energy Class : A

Efficiency : 78,60 %.

Dimensions : H 104 x L 50 x P 50 cm.

Distance from the floor to the centre  
of the rear flue outlet: 92 cm.



Fuel: Logs up to 33 cm  
Firebox: Cast iron lined with vermiculite  
Color: Matt Black  
Flue outlet: Ø 150/153 mm  
Flue outlet: Top and rear



*flamme*  
**VERTE**

Le label  
du chauffage  
au bois





Full Cast Iron



## ÉCLIPSE 2

Réf. 388153 - **R74 895**

8 kW Nominal

Energy class: A

Efficiency: 77%

Dimensions: H 80 x W 72 x D 40 cm

Fuel: Logs up to 50 cm

All-cast-iron firebox

Color: Black.

Flue outlet diameter: 150/153 mm.

Flue outlet: top and rear.

Distance from floor to centre of rear  
flue outlet: 64 cm.



flamme  
VERTE

Le label  
du chauffage  
au bois





Full Cast Iron



## ÉQUIRRE 2

Réf. 389132 - **R82 995**

8 kW Nominal

Energy Class : A

Efficiency: 76,70 %.

Dimensions : H 127 x L 52 x P 42 cm.

Flue outlet: top.



## TALISMAN 2

Réf. 420012 - **R67 995**

8 kW Nominal

Energy Class : A

Efficiency : 78,60 %.

Dimensions : H 112 x L 42 x P 45 cm.

Smoke outlet: top and rear.

Distance from the floor to the centre of the rear flue outlet: 95 cm.

### Common Characteristics

Fuel: Logs up to 33 cm

Full cast iron

Color: Matt Black

Flue outlet Ø 150/153 mm



flamme  
VERTE

Le label  
du chauffage  
au bois



# MODANE INSERTS

The Modane 2 65 F & Modane 2 65 F with Turbo Fans is available with a choice of either a 180mm flue outlet or an optional 150mm flue outlet.

The 150mm option is ideal for homeowners replacing an existing fireplace who already have 150mm flue pipes installed.



*Full Cast Iron*

MODANE 2 65 F  
Ref. 660232 - **R69 995**  
7.8 kW Nominal  
Energy class: A



MODANE 2 75 F  
Ref. 660224 - **R82 595**  
10 kW Nominal  
Energy class: A+

MODANE 2 65 F + Turbo Fans  
Ref. 660235 - **R83 795**  
7.8 kW Nominal  
Energy class: A

MODANE 2 75 F + Turbo Fans  
Ref. 660226 - **R95 795**  
10 kW Nominal  
Energy class: A+

Efficiency: 76.50%  
Dimensions: H 55 x W 66 x D 45 cm

Efficiency: 81.10%  
Dimensions: H 60 x W 76 x D 50 cm

## Common Characteristics

Fuel: Logs up to 50 cm  
Firebox: Full cast iron  
Flue outlet: Ø 180 mm  
Flue outlet: Top  
Door: Cast Iron Frame





[www.godin.fr](http://www.godin.fr)  
[www.eurafrican.co.za](http://www.eurafrican.co.za)